


ELECTRICAL & ELECTRONICS


Die No.: 9412

Wt.: 1.100-1.160 (KG/M)




Die No.: 9194

Wt.: 0.440-0.480 (KG/M)




Die No.: 49477

Wt.: 0.340 - 0.380 (KG/M)



Die No.: 45609


Wt.: 0.800 - 0.840 (KG/M)



Resistor


Die No.: 45929

Wt.: 1.066 - 1.202 (KG/M)




Die No.: 9411

Wt.: 0.180-0.230 (KG/M)




Die No.: 49478

Wt.: 0.500 - 0.57 (KG/M)



Die No.: 9178


Wt.: 0.380-0.420 (KG/M)



ELECTRICAL & ELECTRONICS


Die No.: 5862

Wt.: 1.100-1.170 (KG/M)




Die No.: 45629

Wt.: 0.690-0.800 (KG/M)




Die No.: 9195

Wt.: 0.380-0.420 (KG/M)



Die No.: 5828


Wt.: 1.200-1.270 (KG/M)



Resistor


Die No.: 45837

Wt.: 0.580 - 0.680 (KG/M)




Die No.: 9413

Wt.: 2.965-3.000 (KG/M)




Die No.: 8206

Wt.: 3.630-3.660 (KG/M)



Die No.: 5829

Wt.: 1.600 - 1.670 (KG/M)



ELECTRICAL & ELECTRONICS

Resistor

