


TRANSPORT


Die No.: 976

Wt.: 0 (KG/M)




Die No.: 7409

Wt.: 0.485-0.585 (KG/M)




Die No.: 16107

Wt.: 0.380-0.410 (KG/M)



Die No.: 987


Wt.: 1.760 (KG/M)



Transport Miscellaneous


Die No.: 7340

Wt.: 0.260-0.350 (KG/M)




Die No.: 16357

Wt.: 1.165-1.210 (KG/M)




Die No.: 978

Wt.: 0 (KG/M)



Die No.: 16273


Wt.: 0.210-0.230 (KG/M)



TRANSPORT


Die No.: 7111

Wt.: 0.543 - 0.643 (KG/M)




Die No.: 16371

Wt.: 0.170-0.250 (KG/M)




Die No.: 3403

Wt.: 0.235-0.280 (KG/M)



Die No.: 7343


Wt.: 0.730-0.780 (KG/M)



Transport Miscellaneous


Die No.: 7391

Wt.: 0.115-0.145 (KG/M)




Die No.: 7160

Wt.: 1.375-1.475 (KG/M)




Die No.: 981

Wt.: 0 (KG/M)



Die No.: 7141


Wt.: 0.250 (KG/M)



TRANSPORT


Die No.: 6145

Wt.: 0.032 - 0.040 (KG/M)




Die No.: 979

Wt.: 0 (KG/M)




Die No.: 971

Wt.: 2.600 (KG/M)



Die No.: 7480


Wt.: 1.040-1.100 (KG/M)



Transport Miscellaneous


Die No.: 7419

Wt.: 1.900-2.000 (KG/M)




Die No.: 7368

Wt.: 0.920-0.950 (KG/M)




Die No.: 977

Wt.: None (KG/M)



Die No.: 7496


Wt.: 0.600-0.650 (KG/M)



TRANSPORT


Die No.: 982

Wt.: 0 (KG/M)




Die No.: 16537

Wt.: 0.370-0.450 (KG/M)




Die No.: 10085

Wt.: 4.359-4.474 (KG/M)



Die No.: 7431


Wt.: 0.745-0.815 (KG/M)



Transport Miscellaneous


Die No.: 986

Wt.: 0 (KG/M)




Die No.: 7112

Wt.: 0.740 (KG/M)




Die No.: 16331

Wt.: 0.150-0.200 (KG/M)



Die No.: 78070


Wt.: 0.786-0.960 (KG/M)



TRANSPORT


Die No.: 78179

Wt.:0.179-0.217 (KG/M)



Die No.: 78204

Wt.: 0.081 (KG/M)



Transport Miscellaneous

Die No.: 78171

Wt.:0.262-0.300 (KG/M)

